

Chapter D

Lubricants

Section

- D1 Cars for countries other than U.S.A. and Canada prior to serial number 50 000
- D2 Cars for U.S.A. and Canada prior to serial numbers 50 000
- D3 Corniche and Camargue cars for countries other than U.S.A. and Canada from serial number 50 001
- D4 Corniche and Camargue cars for U.S.A. and Canada from serial number 50 001

Chapter D

Issue record sheet 1**April 1982**

The dates quoted below refer to the issue date of individual pages within this chapter.

Section	D1	D2	D3	D4								
Page No.												
1	Apr 82	Apr 82	Apr 82	Apr 82								
2	Apr 82	Apr 82	Apr 82	Apr 82								
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												
32												
33												
34												
35												
36												
37												
38												
39												
40												
41												
42												
43												
44												
45												
46												
47												
48												

†Engine, †SU Carburettor dampers, Hand oiling points**BP**

BP Super Viscostatic
 BP Visco Route
 BP Visco Coranda
 BP Pilote 2500
 BP Pilote 3000
 BP Strato

Castrol

Castrol GTX
 Castrol GTX-2 Turbo Tested
 Castrolite

Duckhams

Duckhams 'Q' Motor Oil

Esso

UNIFLO
 Esso SUPERLUBE

Mobil

Mobil Super

Shell

Shell Super Motor Oil (20W/50)
 Shell Super Motor Oil (15W/50)
 Shell Super Motor Oil (15W/40)
 Shell Super Motor Oil (10W/40)

†Recommended engine oil grades for cars operating in low temperatures.

For constant operation in ambient temperatures of between 0°C. and -23°C. (32°F. and -10°F.), use a 10W/30 grade oil.

For constant operation in ambient temperatures of -23°C. (-10°F.) and below, use a 5W/20 grade oil.

Torque Converter Transmission, *Steering Pump*BP**

BP Autran DXII

Castrol

Castrol TQ Dexron [®] II

Duckhams

D-Matic ATF (Dexron II)

Esso

Esso Automatic Transmission Fluid (Dexron)

Section D1**Lubricants**

Cars for countries other than U.S.A. and Canada prior to serial number 50 000

Mobil

Mobil ATF 220 (Dexron)

Shell

Shell Automatic Transmission Fluid Dexron II

Texaco

Texamatic Fluid 9226 (Dexron II)

*Also approved any Dexron Transmission Fluid.

Final Drive Unit, Drive-shaft Ball and Trunnion Joints, Rack and Pinion Steering Unit**BP**

BP Gear Oil 90 EP
 BP Gear Oil FE 80/90 EP
 BP Gear Oil FE 85W/140 EP

Castrol

Castrol Hypoy EP 90
 Castrol Hypoy B EP 90
 Castrol Hypoy C

Duckhams

Hypoid 90 S

Esso

Esso Gear Oil GX 80W/90
 Esso Gear Oil GX 85W/140

Mobil

Mobilube HD 90

Shell

Shell Spirax 90 EP

Front and Rear Hubs, Drive-shaft Outer Universal Joints, Propeller shaft Universal Joints**BP**

BP Energearse L2

Castrol

Castrol LM Grease

Duckhams

LB 10 Grease

Esso

Multi-purpose Grease H

Mobil

Mobilgrease MP

Shell

†Shell Retinax A

†First preference

**Height Control Valve Operating Rod Ball Joints,
Steering Joints, Parking Brake Linkage Clevis and
Fulcrum Pins**

Rocol MTS 1000 Grease

Fuel Tank Drain Plug

Rocol MV3

Rocol AS Spray

Parking Brake Inner Cable and Pulley Grooves

Midland Silicones MS44 Grease

Refrigeration compressor

Frigidaire 525 Viscosity Oil

**Hydraulic Brakes and Automatic Height Control
System**

Castrol RR 363 Brake Fluid.

This fluid exceeds current S.A.E. J1703 specifications
in many respects and complies with D.O.T. 3 grade of
FMVSS 116.

Power Operated Hood Reservoir

BP

BP HLP 22

Castrol

Castrol Hyspin VG22

Esso

Esso Nuto H22

Mobil

Mobil DTE 11

Mobil DTE 13

Shell

Shell Tellus Oil 22

Shell Tellus Oil 23

Section D2

Lubricants

Cars for U.S.A. and Canada prior to serial number 50 000

†Engine, †Carburetter Dampers, Hand Oiling Points

BP

BP Super Viscostatic 10W/40

Castrol

Castrol GTX

Duckhams

Duckhams 'Q' Motor Oil

Exxon/Imperial

UNIFLO

Mobil

Mobil Super

Shell

Fire and Ice (USA)

Super Plus (Canada)

†Recommended engine oil grades for cars operating in low temperatures.

For constant operation in ambient temperatures of between 0°C. and -23°C. (32°F. and -10°F.), use a 10W/30 grade oil.

For constant operation in ambient temperatures of -23°C. (-10°F.) and below, use a 5W/20 grade oil.

***Torque Converter Transmission, *Steering Pump**

BP

BP Autran DX II

Castrol

Castrol TQ Dexron [®] II

Exxon/Imperial

Esso Automatic Transmission Fluid (Dexron II)

Mobil

Mobil ATF 220 (Dexron)

Shell

Shell Donax T6

ATF Dexron

Texaco

Texamatic Fluid 9226

*Also approved any Dexron Transmission Fluid

Final Drive Unit, Drive-shaft Ball and Trunnion Joints, Rack and Pinion Steering Unit

BP

BP Gear Oil 90 EP

BP Gear Oil FE 80W/90 EP

BP Gear Oil FE 85W/140 EP

Castrol

Castrol Hypoy 80W/90

Castrol Hypoy C 80W/90

Duckhams

Duckhams Hypoid Gear Oil 80W/90 EP

Exxon/Imperial

Exxon Gear Oil GX 80W/90

Exxon Gear Oil GX 85W/140

Exxon Gear Oil GX 90

Mobil

Mobilube HD 90

Shell

Shell Spirax 90 EP

Front and Rear Hubs, Drive-shaft Outer Universal Joints, Propeller Shaft Universal Joints

BP

BP Energearse 2

Castrol

Castrol MP Grease

Castrol LM Grease

Duckhams

Duckhams LB 10 Grease

Exxon/Imperial

Ronex MP Grease

Esso Unitol

Mobil

Mobilgrease MP

Shell

Shell Darina AX

Height Control Valve Operating Rod Ball Joints, Steering Joints, Parking Brake Linkage Clevis and Fulcrum Pins

Rocol MTS 1000 Grease

D2 - 2**Fuel tank drain plug**

Rocol MV3

Rocol AS Spray

Parking Brake Inner Cable and Pulley Grooves

Midlands Silicones MS 44 Grease

Refrigeration compressor

Frigidaire 525 Viscosity Oil

Hydraulic Brakes and Automatic Height Control System

Castrol RR 363 Brake Fluid.

This fluid exceeds current S.A.E. J1703 specifications
in many respects and complies with D.O.T. 3 grade of
FMVSS 116

Power Operated Hood Reservoir**BP**

BP HLP 22

Esso

Esso Nuto H22

Mobil

Mobil DTE 11

Mobil DTE 13

Shell

Shell Tellus Oil 22

Shell Tellus Oil 23

†Engine, †SU Carburettor Dampers, Hand Oiling Points

BP

BP Super Viscostatic
BP Visco Route
BP Visco Coranda
BP Pilote 2500
BP Pilote 3000
BP Strato

Castrol

Castrol GTX
Castrol GTX-2 Turbo Tested
Castrolite

Duckhams

Duckhams 'Q' Motor Oil

Esso

UNIFLO
Esso SUPERLUBE

Mobil

Mobil Super

Shell

Shell Super Motor Oil (20W/50)
Shell Super Motor Oil (15W/50)
Shell Super Motor Oil (15W/40)
Shell Super Motor Oil (10W/40)

†Recommended engine oil grades for cars operating in low temperatures.

For constant operation in ambient temperatures of between 0°C. and -23°C. (32°F. and -10°F.), use a 10W/30 grade oil.

For constant operation in ambient temperatures of -23°C. (10°F.) and below, use a 5W/20 grade oil.

***Torque Converter Transmission, *Steering Pump**

BP
BP Autran DX II

Castrol
Castrol TQ Dexron ® II

Duckhams
D-Matic ATF (Dexron II)

Section D3

Lubricants

Cars for countries other than U.S.A. and Canada from serial number 50 001

Esso

Esso Automatic Transmission Fluid (Dexron)

Mobil

Mobil ATF 220 (Dexron)

Shell

Shell Automatic Transmission Fluid Dexron II

Texaco

Texamatic Fluid 9226 (Dexron II)

*Also approved any Dexron Transmission Fluid.

Final Drive Unit, Drive-shaft Ball and Trunnion Joints, Rack and Pinion Steering Unit

BP

BP Gear Oil FE 80W/90 EP
BP Gear Oil FE 85W/140 EP
BP Gear Oil 90 EP

Castrol

Castrol Hypoy EP 90
Castrol Hypoy B EP 90
Castrol Hypoy C

Duckhams

Hypoid 90 S

Esso

Esso Gear Oil GX 80W/90
Esso Gear Oil GX 85W/140

Mobil

Mobilube HD 90

Shell

Shell Spirax 90 EP

Front and Rear Hubs, Drive-shaft Outer Universal Joints, Propeller Shaft Universal Joints

BP

BP Energrease L2

Castrol

Castrol LM Grease

Duckhams

LB 10 Grease

Esso

Multi-purpose Grease H

D3 - 2

Mobil

Mobilgrease MP

Shell

†Shell Retinax A

‡First preference

**Height Control Valve Operating Rod Ball Joints,
Steering Joints, Parking Brake Linkage Clevis and
Fulcrum Pins**

Rocol MTS 1000 Grease

Fuel tank drain plug

Rocol MV3

Rocol AS Spray

Parking Brake Inner Cable and Pulley Grooves

Midland Silicones MS44 Grease

Refrigeration compressor

Frigidaire 525 Viscosity Oil

**Hydraulic Brakes and Automatic
Height Control System****BP**

BP Hydraulic LHM

Castrol

‡Castrol Hydraulic System Mineral Oil

Mobil

Mobil Fluid LHM

Shell

Shell LHM Fluid (S.8214)

Hydraulic System Mineral (LHM) is also supplied by
Esso, Total, Lockheed, Antar, Agip, Cofran, Elf, Igol,
Motul, and Stop.

‡First preference

Power Operated Hood Reservoir**BP**

BP HLP 22

Castrol

Castrol Hyspin VG22

Esso

Esso Nuto H22

Mobil

Mobil DTE 11

Mobil DTE 13

†Engine, †Carburetter Dampers, Hand Oiling Points**BP**

BP Super Viscostatic 10W/40

Castrol

Castrol GTX

Duckhams

Duckhams 'Q' Motor Oil

Exxon/Imperial

UNIFLO

Mobil

Mobil Super

Shell

Fire and Ice (U.S.A.)

Super Plus (Canada)

†Recommended engine oil grades for cars operating in low temperatures.

For constant operation in ambient temperatures of between 0°C. and -23°C. (32°F. and -10°F.), use a 10W/30 grade oil.

For constant operation in ambient temperatures of -23°C. (-10°F.) and below, use a 5W/20 grade oil

Torque Converter Transmission, *Steering Pump*BP**

BP Autran DX II

Castrol

Castrol TQ Dexron ®II

Exxon/Imperial

Esso Automatic Transmission Fluid (Dexron II)

Mobil

Mobil ATF 220 (Dexron)

Shell

Shell Donax T6

ATF Dexron

Texaco

Texamatic Fluid 9226 (Dexron II)

*Also approved any Dexron Transmission Fluid

Section D4**Lubricants**

Cars for U.S.A. and Canada from serial number 50 001

Final Drive Unit, Drive-shaft Ball and Trunnion Joints, Rack and Pinion Steering Unit**BP**

BP Gear Oil 90 EP

BP Gear Oil FE 80W/90 EP

BP Gear Oil FE 85W/140 EP

Castrol

Castrol Hypoy 80W/90

Castrol Hypoy C80W/90

Exxon/Imperial

Exxon Gear Oil GX 80W/90

Exxon Gear Oil GX 85W/140

Exxon Gear Oil GX 90

Mobil

Mobilube HD 90

Shell

Shell Spirax 90 EP

Front and Rear Hubs, Drive-shaft Outer Universal Joints, Propeller Shaft Universal Joints**BP**

BP Energearse 2

Castrol

Castrol MP Grease

Castrol LM Grease

Exxon/Imperial

Ronex MP Grease

Esso Unitol

Mobil

Mobilgrease MP

Shell

Shell Darina AX

Height Control Valve Operating Rod Ball Joints, Steering Joints, Parking Brake Linkage Clevis and Fulcrum Pins

Rocol MTS 1000 Grease

Fuel Tank Drain Plug

Rocol MV3

Rocol AS Spray

Parking Brake Inner Cable and Pulley Grooves

Midlands Silicones MS 44 Grease

Refrigeration Compressor

Frigidaire 525 Viscosity Oil

**Hydraulic Brakes and Automatic Height Control System**

BP

BP Hydraulic LHM

Castrol

‡Castrol Hydraulic System Mineral Oil

Mobil

Mobil Fluid LHM

Shell

Shell LHM Fluid (S 8214)

Hydraulic System Mineral Oil (LHM) is also supplied by Esso, Total, Lockheed, Antar, Agip, Cofran, Elf, Igol, Motul, and Stop.

‡First preference

Power Operated Hood Reservoir

BP

BP HLP 22

Esso

Esso Nuto H22

Mobil

Mobil DTE 11

Mobil 13

Shell

Shell Tellus Oil 22

Shell Tellus Oil 23