

Lubricants

Contents

Sections

	Silver Spirit Mulsanne	Silver Spur	Mulsanne Turbo	Bentley Eight	Bentley Turbo R	Corniche/ Continental
<i>Countries other than USA and Canada</i>	D1	D1	D1/1	D1	D1/1	D1
<i>USA and Canada</i>	D2	D2	—	—	—	D2

Issue record sheet 1

November 1985

The dates quoted below refer to the issue date of individual pages within this chapter.

Sections	D1	D1/1	D2						
Page No.									
Contents									
1	Apr 85	Apr 85	Nov 85						
2	Apr 85	Apr 85	Apr 85						
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									

†Engine, †SU Carburettor dampers, Hand oiling points

BP

BP Super Viscostatic
BP Visco 2000
BP Visco-Nova
BP Visco Route
BP Visco Coranda
BP Pilote 2500
BP Pilote 3000
BP Strato

Castrol

Castrol GTX
Castrol GTX-2 Turbo Tested
Castrolite

Duckhams

Duckhams Hypergrade

Esso

UNIFLO +
Esso SUPERLUBE +

Mobil

Mobil Super

Shell

Shell Super Motor Oil (20W/50)
Shell Super Motor Oil (15W/50)
Shell Super Motor Oil (15W/40)
Shell Super Motor Oil (10W/40)
Shell Gemini

Silkolene

Chatsworth 20W/30

†Recommended engine oil grades for cars operating in low temperatures.

For constant operation in ambient temperatures of between 0°C and -23°C (32°F and -10°F) use a 10W/30 grade oil.

For constant operation in ambient temperatures of -23°C (-10°F) and below, use a 5W/20 grade oil.

*Torque converter transmission, *Steering pump

BP

BP Autran DXII

Lubricants

All cars except Bentley Mulsanne Turbo and Bentley Turbo R

Castrol

Castrol TQ Dexron® II

Duckhams

D-Matic ATF (Dexron II)

Esso

Esso ATF Dexron II

Gulf

Gulf Automatic Transmission Fluid (Dexron)

Mobil

Mobil ATF 220 (Dexron)

Shell

Shell Automatic Transmission Fluid Dexron II

Texaco

Texamatic Fluid 9226 (Dexron II)

*Also approved any Dexron Transmission Fluid.

Drive-shaft ball and trunnion joints (if fitted), Final drive unit, Rack and pinion steering unit

BP

BP Gear Oil EP 90
BP Multigear FE 80W/90
BP Multigear FE 85W/140

Castrol

Castrol Hypoy EP 90
Castrol Hypoy B EP 90
Castrol Hypoy C

Duckhams

Hypoid 90 S

Esso

Esso Gear Oil GX 85W/90
Esso Gear Oil GX 80W

Gulf

Gulf Multi Purpose Gear Lubricant 80W/90

Mobil

Mobilube HD 90

Shell

Shell Spirax 90 EP

Front and rear hubs, Drive-shaft outer universal joints (if fitted), Propeller shaft universal joints (if applicable)

BP
BP Energrease L2

Castrol
Castrol LM Grease

Duckhams
LB 10 Grease

Esso
Multi-purpose Grease

Gulf
Gulfcrown Grease No. 2 EP

Mobil
Mobilgrease MP

Shell
‡Shell Retinax A

‡First preference

Rear drive-shaft constant velocity joints (if fitted), Height control valve operating rod ball joints, Steering joints (if applicable), Parking brake linkage clevis and fulcrum pins

Rocol MTS 1000 Grease

Fuel tank drain plug

Rocol MV3
Rocol AS Spray

Parking brake inner cable

Midland Silicones MS44 Grease

Refrigeration compressor

Frigidaire 525 Viscosity Oil



Hydraulic Brakes and Automatic height control system

Castrol
Castrol Hydraulic System Mineral Oil

Power operated hood reservoir

BP
BP Energol HLP22

Castrol
Castrol Hyspin VG22

Esso
Esso Nuto H22

Mobil
Mobil DTE 11
Mobil DTE 12
Mobil DTE 13

Shell
Shell Tellus Oil 22
Shell Tellus Oil 23

Gulf
Gulf Hydrasil 22

